



LAWRENCE
LIVERMORE
NATIONAL
LABORATORY

Ultrafast Laser Dewetting of Thin Metal Films

J. T. McKeown, N. A. Roberts, J. D. Fowlkes, G.
H. Campbell, N. D. Browning, P. D. Rack

August 1, 2011

Frontiers of Electron Microscopy in Materials Science
Rohnert Park, CA, United States
September 18, 2011 through September 23, 2011

Disclaimer

This document was prepared as an account of work sponsored by an agency of the United States government. Neither the United States government nor Lawrence Livermore National Security, LLC, nor any of their employees makes any warranty, expressed or implied, or assumes any legal liability or responsibility for the accuracy, completeness, or usefulness of any information, apparatus, product, or process disclosed, or represents that its use would not infringe privately owned rights. Reference herein to any specific commercial product, process, or service by trade name, trademark, manufacturer, or otherwise does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States government or Lawrence Livermore National Security, LLC. The views and opinions of authors expressed herein do not necessarily state or reflect those of the United States government or Lawrence Livermore National Security, LLC, and shall not be used for advertising or product endorsement purposes.

Ultrafast Laser Dewetting of Thin Metal Films

Joseph T. McKeown¹, Nick A. Roberts², Jason D. Fowlkes³,
Geoffrey H. Campbell¹, Nigel D. Browning^{1,4,5}, and Philip D. Rack^{2,3}

¹ Condensed Matter and Materials Division, Lawrence Livermore National Laboratory,
Livermore, CA 94550, USA (mckeown3@llnl.gov, campbell7@llnl.gov)

² Materials Science and Engineering Department, The University of Tennessee, Knoxville, TN
37996, USA (nrober12@utk.edu, prack@utk.edu)

³ Center for Nanophase Materials Science, Oak Ridge National Laboratory, Oak Ridge, TN
37831, USA (fowlkesjd@ornl.gov)

⁴ Department of Chemical Engineering and Materials Science, University of California, Davis,
CA 95616, USA (nbrowning@ucdavis.edu)

⁵ Department of Molecular and Cell Biology, University of California, Davis, CA 95616, USA

Achieving functional devices that utilize nanostructures requires an understanding of the synthesis and assembly routes employed during their processing. Future prospects for nanomaterials synthesis will likely require the union of top-down and bottom-up self-assembly techniques, and much research has been conducted on continuous thin polymer [1] and metal [2] films. More recently, nanoparticle arrays were produced by directed self-assembly using pulsed laser induced dewetting (PLiD) of patterned metal thin films [3,4]. Here, time-resolved imaging and diffraction using the dynamic transmission electron microscope (DTEM) [5] enabled studies of PLiD of continuous thin Ni films at timescales consistent with the nanosecond liquid lifetimes of the laser-induced melting.

The observed mechanisms of PLiD were consistent with prior studies of thin metal films [2], and the liquid lifetime, monitored using nanosecond diffraction in the DTEM, agreed with calculations [3] of the liquid lifetimes during dewetting of thin Ni films. Further studies will focus on ultrafast characterization of the dewetting of patterned films with the goal of enhanced spatial control of resultant nanostructures.

References

- [1] J. Becker *et al.*, *Nat. Mater.* **2**, 59 (2003).
- [2] S. Herminghaus *et al.*, *Science* **282**, 916 (1998).
- [3] P.D. Rack *et al.*, *Appl. Phys. Lett.* **92**, 223108 (2008).
- [4] J.D. Fowlkes *et al.*, *Nano Lett.* **11**, 2478 (2011).
- [5] T. LaGrange *et al.*, *Ultramicroscopy* **108**, 1441 (2008).
- [6] The authors acknowledge work performed under the auspices of the U.S. Department of Energy, Office of Science, Office of Basic Energy Sciences, Division of Materials Sciences and Engineering, by Lawrence Livermore National Laboratory under Contract DE-AC52-07NA27344.